



Coated Pipe System Catalogue



King 9 Technology Company Limited

About KING 9

关于金久



King 9 Technology Company Limited, for short "King 9", was founded on 19 April, 2012. focus on lean manufacturing series material manufacturing, design & construction, offer a complete set of solutions. The main products are metal joint, coated lean pipe, caster, roller track(placon), aluminum lean pipe, aluminum lean pipe joints, aluminum profile, aluminum profile connector and all full series accessories of lean manufacturing.

King 9 have the top experince in China with manufacturing experince, mould design and manufacturing experince, import & export experince, international transport experinece. Support one-stop lean manufacturing products purchase service with international customer, such as products manufact, international shpping, import & export custom clearance etc; Support one-stop of teaching lean manufacturing idealism, lean manufacturing project constrution etc.

深圳市金久精益科技有限公司，简称“金久”，成立于2012年04月19号，专注于精益生产系列产品生产、设计、整套方案提供。主要提供的产品有：五金接头，复合管，脚轮，滑轨，铝管精益管（第三代精益管），铝管精益管接头，铝型材，铝型材连接件，及精益生产的其他附件。

金久在中国的精益生产行业内，拥有行业前列的生产经验、模具研发和制造经验、进出口、国际物流的丰富经验，可以为国际客户提供全套的精益生产产品采购服务，如产品生产、国际物流运输、进出口清关等；为中国客户提供全套的精益生产方案设计，精益生产理念传导教学、施工等一站式解决方案。

The Mission of King 9

金久的使命

Make lean manufacturing benefit every company

让精益生产惠及每一个企业

The Vision of King 9

金久的愿景

①To be the leader of lean aotomation

精益自动化引导者

②With high levels of employee happines company

员工幸福指数高的企业

The value of King 9

金久的价值观

Integrity & honesty, open in words and deeds.

诚信，诚实正直，言行坦荡

Opening-up, To be happy the first is to open your heart.

开放，要开心先心开

Share, The more you share, the luckier you will be.

分享，越分享越幸运

Customer first, customers are the source of our livelihood.

客户第一，客户是衣食父母

Quick response, Everything is reserved for those who respond quickly and are prepared.


快速反应，天下武功，为快不破

Teamwork, Blessings and sufferings each other, Make progress together and face difficulties together.

团队合作，共享共担，共同进退

- 01 复合管系列
Coated Pipe
- 02 五金接头系列
Metal Joint
- 08 铁滑轨
Steel Roller placon
- 09 铝滑轨
Aluminum roller placon
- 10 铝滑轨接头
Aluminum Roller Bracket
- 11 铁滑轨接头
Steel Roller Bracket
- 12 滑动管接头
Slide Pipe Braket
- 13 塑胶接头
Plastic Joint
- 14 脚杯/脚轮系列
Adjust foot and Caster
- 16 附件
Tube Accessory
- 21 应用案例
Applications

复合管 Coated Pipe (28mm)


Item number	Photo	Dimension	Weight	Capacity	MOQ	Material	Standard Length	Color
		(mm)	(g/meter)	(kg/m)	(pcs)		(mm)	
KJ-2807		φ28*0.7	505	45	⊙	Coated Pipe	4000	IV:Ivory WH:White SB:Sky blue DB:Dark Blue RE:Red GR:Green YE:Yellow BE:Beige LG:Light Gray BK:Black
KJ-2808		φ28*0.8	550	78	⊙			
KJ-2810		φ28*1.0	700	100	⊙			
KJ-2812		φ28*1.2	800	120	500			
KJ-2815		φ28*1.5	1000	150	1000			
KJ-2820		φ28*2.0	1300	200	500			
KJ-2807ESD		φ28*0.7	505	45	⊙	Coated Pipe	4000	EB:Esd Black ※LG:Gray
KJ-2808ESD		φ28*0.8	550	78	⊙			
KJ-2810ESD		φ28*1.0	700	100	⊙			
KJ-2812ESD		φ28*1.2	800	120	500			
KJ-2815ESD		φ28*1.5	1000	150	1000			
KJ-2820ESD		φ28*2.0	1300	200	500			
KJ-2810SLIDE		φ28*1.0	770	100	750	Coated Pipe	4000	BE:Beige
KJ-2807S		φ28*0.7	500	40	500	SUS430 SUS439 SUS201 SUS304	4000	/
KJ-2808S		φ28*0.8	525	73	500			
KJ-2810S		φ28*1.0	670	90	500			
KJ-2812S		φ28*1.2	780	110	750			
KJ-2812AL		φ28*1.2	375	60	750	Aluminum pipe	4000/6000	Bright gray
KJ-2820AL		φ28*2.0	520	90	750			

Standard color of coated pipe : Ivory,White,Sky Blue,Dark Blue,Red,Green,Yellow, Beige,Light Grey, Black

※.If have special color, we can do it according customer sample, The MOQ is 1000PCS

※"/" means no this product,"⊙" means accept any quantity.

复合管 Coated Pipe (28.6mm)

Item number	Photo	Dimension	Weight	Capacity	MOQ	Material	Standard Length	Color
		(mm)	(g/meter)	(kg/m)	(pcs)		(mm)	
KJ-3007		φ28.6*0.7	505	45	⊙	Coated Pipe	4000	IV:Ivory WH:White SB:Sky blue DB:Dark Blue RE:Red GR:Green YE:Yellow BE:Beige LG:Light Gray BK:Black
KJ-3008		φ28.6*0.8	550	78	⊙			
KJ-3010		φ28.6*1.0	700	100	⊙			
KJ-3012		φ28.6*1.2	800	120	500			
KJ-3015		φ28.6*1.5	1000	150	1000			
KJ-3020		φ28.6*2.0	1300	200	500			
KJ-3007ESD		φ28.6*0.7	505	45	⊙	Coated Pipe	4000	EB:Esd Black ※LG:Gray
KJ-3008ESD		φ28.6*0.8	550	78	⊙			
KJ-3010ESD		φ28.6*1.0	700	100	⊙			
KJ-3012ESD		φ28.6*1.2	800	120	500			
KJ-3015ESD		φ28.6*1.5	1000	150	1000			
KJ-3020ESD		φ28.6*2.0	1300	200	500			

Standard color of coated pipe : Ivory,White,Sky Blue,Dark Blue,Red,Green,Yellow, Beige,Light Grey, Black

※.If have special color, we can do it according customer sample, The MOQ is 1000PCS

※"/" means no this product,"⊙" means accept any quantity.

五金接头



Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)	Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)
K-1	SPCC	BK,ZN,CN	70	300	26*21*18.5	K-6A	SPCC	BK,ZN,CN	70	300	26*21*18.5
	SUS304	Original					/	/			
K-1A	SPCC	BK,ZN,CN	68	300	26*21*18.5	K-7	SPCC	BK,ZN,CN	50	200	26*21*16
	SUS304	Original					SUS304	Original			
K-2	SPCC	BK,ZN,CN	110	200	26*21*18.5	K-7A	SPCC	BK,ZN,CN	45	200	26*21*16
	SUS304	Original					SUS304	Original			
K-3	SPCC	BK,ZN,CN	120	100	26*21*18.5	K-8	SPCC	BK,ZN,CN	70	150	26*21*18.5
	SUS304	Original					SUS304	Original			
K-3A	SPCC	BK,ZN,CN	120	100	26*21*18.5	K-8A	SPCC	BK,ZN,CN	72	150	26*21*18.5
	SUS304	Original					/	/			
K-4	SPCC	BK,ZN,CN	122	200	26*21*18.5	K-8B	SPCC	BK,ZN,CN	75	150	26*21*18.5
	SUS304	Original					/	/			
K-5	SPCC	BK,ZN,CN	55	300	26*21*18.5	K-9	SPCC	BK,ZN,CN	70	150	26*21*18.5
	SUS304	Original					SUS304	Original			
K-6	SPCC	BK,ZN,CN	65	300	26*21*18.5						
	SUS304	Original									

五金接头 Metal Joint(single)

















Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)	Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)
K-10A	SPCC	BK,ZN,CN	72	200	26*21*18.5	K-13A	SPCC	BK,ZN,CN	52	300	26*21*18.5
	SUS304	Original					SUS304	Original			
K-10B	SPCC	BK,ZN,CN	72	200	26*21*18.5	K-14	SPCC	BK,ZN,CN	65	200	26*21*18.5
	SUS304	Original					SUS304	Original			
K-11	SPCC	BK,ZN,CN	100	150	26*21*18.5	K-15	SPCC	BK,ZN,CN	45	400	26*21*18.5
	SUS304	Original					SUS304	Original			
K-11A	SPCC	BK,ZN,CN	110	150	26*21*18.5	K-16	SPCC	BK,ZN,CN	50	400	26*21*18.5
	/	/					SUS304	Original			
K-11B	SPCC	BK,ZN,CN	110	150	26*21*18.5	K-17	SPCC	BK,ZN,CN	65	300	26*21*18.5
	/	/					SUS304	Original			
K-11C	SPCC	BK,ZN,CN	110	200	26*21*18.5	K-18	SPCC	BK,ZN,CN	65	300	26*21*18.5
	/	/					/	/			
K-12	SPCC	BK,ZN,CN	70	200	26*21*18.5	K-19	SPCC	BK,ZN,CN	70	250	26*21*18.5
	SUS304	Original					/	/			
K-13	SPCC	BK,ZN,CN	55	300	26*21*18.5						
	SUS304	Original									

五金接头






Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)	Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)
K-20	SPCC	BK,ZN,CN	122	150	26*21*18.5	K-28	SPCC	BK,ZN,CN	68	200	26*21*18.5
	SUS304	Original					/	/			
K-21	SPCC	BK,ZN,CN	98	100	26*21*18.5	K-29	SPCC	BK,ZN,CN	72	200	26*21*18.5
	/	/					/	/			
K-22	SPCC	BK,ZN,CN	70	100	26*21*18.5	K-30	SPCC	BK,ZN,CN	78	150	26*21*18.5
	/	/					/	/			
K-23	SPCC	BK,ZN,CN	68	300	26*21*18.5	K-31	SPCC	BK,ZN,CN	85	200	26*21*18.5
	/	/					/	/			
K-24	SPCC	BK,ZN,CN	75	250	26*21*18.5	K-32	SPCC	BK,ZN,CN	35	150	26*21*18.5
	/	/					/	/			
K-25	SPCC	BK,ZN,CN	82	200	26*21*18.5	K-33	SPCC	BK,ZN,CN	55	300	26*21*18.5
	/	/					/	/			
K-26	SPCC	BK,ZN,CN	98	300	26*21*18.5	K-34	SPCC	BK,ZN,CN	65	300	26*21*18.5
	/	/					/	/			
K-27	SPCC	BK,ZN,CN	82	300	26*21*18.5						
	/	/									

五金接头 Metal Joint(single)



K-35  	K-36  	K-37  
K-38  	K-39  	K-40  
K-41  	K-42  	K-43  
K-44  	K-45  	K-46  

Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)	Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)
K-35	SPCC	BK,ZN,CN	115	200	26*21*18.5	K-41	SPCC	BK,ZN,CN	110	200	26*21*18.5
	/	/					/	/			
K-36	SPCC	BK,ZN,CN	20	200	26*21*18.5	K-42	SPCC	BK,ZN,CN	89	200	26*21*18.5
	/	/					/	/			
K-37	SPCC	BK,ZN,CN	10	500	26*21*18.5	K-43	SPCC	BK,ZN,CN	89	200	26*21*18.5
	/	/					/	/			
K-38	SPCC	BK,ZN,CN	55	200	26*21*18.5	K-44	SPCC	BK,ZN,CN	85	200	26*21*18.5
	/	/					/	/			
K-39	SPCC	BK,ZN,CN	65	200	26*21*18.5	K-45	SPCC	BK,ZN,CN	45	200	26*21*18.5
	/	/					/	/			
K-40	SPCC	BK,ZN,CN	100	200	26*21*18.5	K-46	SPCC	BK,ZN,CN	55	200	26*21*18.5
	/	/					/	/			

K-30-1  	K-30-2  	K-30-3  
--	---	--

Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)	Item NO.	Material	Color code	Weight(g)	QTY(pcs)	Package(cm)
K30-1	SPCC	BK,ZN,CN	100	200	26*21*20	K-30-3	SPCC	BK,ZN,CN	145	50	26*21*15
	/	/					/	/			
K30-2	SPCC	BK,ZN,CN	120	100	26*21*15						
	/	/									

五金接头 Metal Joint(Set)



Item NO.	Assembly (pcs)	Bolt Nut (set)	QTY (set)
KJ-1	K-1*2	M6*25	1
KJ-1A	K-1A*2	M6*25	1
KJ-2	K-2*1+K-3*1	M6*25	2
KJ-3	K-2*2+K-4*1	M6*25	3
KJ-4	K-4*2	M6*25	2
KJ-5	K-2*4	M6*25	4
KJ-6	K-7*2	M6*25	1

Item NO.	Assembly (pcs)	Bolt Nut (set)	QTY (set)
KJ-6A	K-7A*2	M6*25	1
KJ-7	K-5*2+K-6*2	M6*25	2
KJ-7A	K-6*2+K*6A*2	M6*25	3
KJ-8	K-9*2+K-140*2	M6*25	1
KJ-9	K-10A*1+K-10B*1	M6*25	1
KJ-10	K-12*2+K-140*1	M6*25	1
KJ-11	K-13*2	M6*25	1

Item NO.	Assembly (pcs)	Bolt Nut (set)	QTY (set)
KJ-11A	K-13A*2	M6*25	1
KJ-12	K-6*4+K-14*2	M6*25	4
KJ-13	K-15*1+K-16*1	M6*12	1
KJ-14	K-8*2	M6*25	1
KJ-14A	K-8A*2	M6*25	1
KJ-14B	K-8B*2	M6*25	1
KJ-15	K-39*2	M6*25	1

五金接头 Metal Joint(Set)

KJ-15A




KJ-16B



KJ-18




KJ-20




KJ-23



KJ-26



KJ-30-2



KJ-16



KJ-16C



KJ-18A



KJ-21




KJ-24




KJ-27



KJ-30-3



KJ-16A



KJ-17




KJ-19




KJ-22



KJ-25



KJ-30-1



KJ-30-4





Item NO.	Assembly (pcs)	Bolt Nut (set)	QTY (set)
KJ-15A	K-39*1+K-46*1	M6*25	1
KJ-16	K-11*2	M6*25	2
KJ-16A	K-11A*2	M6*25	2
KJ-16B	K-11B*2	M6*25	2
KJ-16C	K-11C*2	M6*25	2
KJ-17	K-17*2	M6*25	1
KJ-18	K-44*2	M6*25	1

Item NO.	Assembly (pcs)	Bolt Nut (set)	QTY (set)
KJ-18A	K-44*1+K-1*1	M6*25	1
KJ-19	K-20*2	M6*25	1
KJ-20	K-26*2	M6*25	1
KJ-21	K-27*2	M6*25	1
KJ-22	K-33*1+K-34*1+K-140*1	M6*25	1
KJ-23	K-31*2+K-140*1	M6*25	1
KJ-24	K-40*2+K-140*1	M6*25	2

Item NO.	Assembly (pcs)	Bolt Nut (set)	QTY (set)
KJ-25	K-41*2	M6*25	2
KJ-26	K-42*2	M6*25	1
KJ-27	K-43*2	M6*12	1
KJ-30-1	K30-1*2	M6*25	1
KJ-30-2	K30-2*1+K30-3*1	M6*25	2
KJ-30-3	K30-2*2+K30-4*1	M6*25	3
KJ-30-4	K30-4*2	M6*25	2


铁滑轨 Steel roller placon

KJ-2035A





OD of wheel/轮径	27mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.35mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.7kg/m	Package/每箱	6pcs

KJ-2035B




OD of wheel/轮径	31mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.35mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.78kg/m	Package/每箱	6pcs

KJ-2046A




OD of wheel/轮径	31mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.07kg/m	Package/每箱	6pcs

KJ-2046B




OD of wheel/轮径	34mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.17kg/m	Package/每箱	6pcs

KJ-2046C





OD of wheel/轮径	34mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.15kg/m	Package/每箱	6pcs

KJ-2047




OD of wheel/轮径	35mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.1kg/m	Package/每箱	6pcs

KJ-2049




OD of wheel/轮径	34mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.0kg/m	Package/每箱	6pcs

KJ-2060A



OD of wheel/轮径	15mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.60mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.2kg/m	Package/每箱	6pcs



KJ-2060B



OD of wheel/轮径	30mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.60mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.35kg/m	Package/每箱	6pcs


铁滑轨
Steel roller placon

KJ-2085A




OD of wheel/轮径	34mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.85mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	2.3kg/m	Package/每箱	4pcs

KJ-2085B




OD of wheel/轮径	34mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm.85mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	2.4kg/m	Package/每箱	4pcs

KJ-2048



OD of wheel/轮径	49mm	Material/材质	steel/铁
L.W/长度.宽度	3000mm	Color颜色	yellow/blue 黄色/蓝色
Weight/重量	4.5kg/m	Package/每箱	4pcs



KJ-2048A



OD of wheel/轮径	51mm	Material/材质	steel/铁
L.W/长度.宽度	4000mm	Color颜色	yellow/blue 黄色/蓝色
Weight/重量	1.4kg/m	Package/每箱	4pcs


铝滑轨
Aluminum roller placon

KJ-2045A




OD of wheel/轮径	33mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.7kg/m	Package/每箱	4pcs

KJ-2045B





OD of wheel/轮径	33mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.9kg/m	Package/每箱	4pcs

KJ-2045C



OD of wheel/轮径	28mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.7kg/m	Package/每箱	4pcs



KJ-2045D



OD of wheel/轮径	34mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.8kg/m	Package/每箱	4pcs



铝滑轨 Aluminum roller placon

KJ-2045E





OD of wheel/轮径	34mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.8kg/m	Package/每箱	4pcs

KJ-2045F




OD of wheel/轮径	28mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.40mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	0.6kg/m	Package/每箱	4pcs

KJ-2045-60



OD of wheel/轮径	30mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.60mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.22kg/m	Package/每箱	4pcs


KJ-2045-72




OD of wheel/轮径	34mm	Material/材质	Aluminum/铝
L.W/长度.宽度	4000mm.72mm	Color颜色	white/yellow/esd black 白色/黄色/防静电黑色
Weight/重量	1.25kg/m	Package/每箱	4pcs

铝滑轨接头 Aluminum Roller Bracket


KJ-2044C(Zinc/Nickel/Chrome)




KJ-2044D(Zinc/Nickel/Chrome)




KJ-2044DW(Zinc/Nickel/Chrome)




KJ-2044E(Zinc/Nickel/Chrome)




KJ-2044EF(Zinc/Nickel/Chrome)




KJ-2044P(Zinc/Nickel/Chrome)



KJ-2044EE(Zinc/Nickel/Chrome)



KJ-2044EP(Zinc/Nickel/Chrome)



KJ-2040EG(Zinc/Nickel/Chrome)



Weight : 105g
Package : 100pcs

Technical drawing of a metal bracket. The drawing shows a 3D perspective view on the left and a 2D top view on the right. The 3D view shows a bracket with a flat base and a vertical flange. The 2D view shows the bracket with dimensions: 25mm for the height of the vertical flange, 29mm for the width of the base, 17mm for the thickness of the base, 34mm for the width of the vertical flange, and 35mm for the length of the base. Below the drawings, the text reads: "Weight : 115g" and "Package : 100pcs".



Weight : 110g
Package : 50pcs

Weight : 125g
Package : 50pcs

Weight : 120g
Package : 50pcs



Weight : 105g
Package : 100pcs



Weight : 110g
Package : 50pcs

Weight : 115g
Package : 100pcs

Weight : 135g
Package : 100pcs

Weight : 125g
Package : 50pcs

Weight : 140g
Package : 50pcs



Weight : 175g
Package : 50pcs

Weight:115g
Package:50Pcs

Weight:140g
Package:25ps



Weight : 125g
Package : 50pcs

Technical drawing of a U-channel profile. The drawing shows the profile from a perspective view. The dimensions are: 41 (width of the flange), 120 (length of the profile), and 14 (height of the flange).

Weight : 175g
Package : 50pcs



Weight : 190g
Package : 25pcs

Weight : 180g
Package : 50pcs



Weight : 290g
Package : 25pcs

Weight : 160g
Package : 50pcs



Weight : 170g
Package : 50pcs




Weight : 190g
Package : 25pcs


Weight : 180g
Package : 50pcs

铁滑轨接头 Steel Roller Bracket


KJ-2060E-B(Zinc/Nickel/Chrome)




KJ-2060P-B(Zinc/Nickel/Chrome)




KJ-2085C(Zinc/Nickel/Chrome)




KJ-2085D(Zinc/Nickel/Chrome)




KJ-2085DW(Zinc/Nickel/Chrome)



KJ-2085E(Zinc/Nickel/Chrome)




KJ-2085P(Zinc/Nickel/Chrome)




滑动管接头 Slide Pipe Bracket


KJ-2044CF(Zinc/Nickel/Chrome)




KJ-2044DF(Zinc/Nickel/Chrome)




KJ-2044WF(Zinc/Nickel/Chrome)




KJ-2044EH(Zinc/Nickel/Chrome)




KJ-2044EC(Zinc/Nickel/Chrome)



KJ-2044PF(Zinc/Nickel/Chrome)




KJ-2044FF(Zinc/Nickel/Chrome)




配40铝型材接头 Roller Bracket for Aluminum


KJ-2040C-40




KJ-2040D-40




KJ-2040DD-40




KJ-2040DW-40




KJ-2040E-40




KJ-2044C-40




KJ-2044DW-40




KJ-2060C-40



KJ-2060D-40




KJ-2060DW-40




塑胶接头 Plastic Joint

J-001




J-002




J-003




J-003A




J-004



J-004A




J-005




J-006



J-007




J-008



J-009R




J-009L



J-010



J-011



J-012




J-013




J-014




J-015




J-016




J-017



J-018




J-019




脚杯/脚轮系列 Adjust foot and Caster


Fixed Caster Series




Attaching Caster Series



Insertion Caster Series



Bushing Caster Series



01 固定脚轮系列 Fixed Caster Series

FIXED 固定	轮径D (mm)	底板尺寸 A*B	Material 轮子材质	Frame Material 支架材质	Offset Distance 偏心距R(mm)	Loading 承重 (N)	High/高度 H(mm)	Weight 单重 (g)	Package 每箱 (pcs)
KJ-301	75mm	70*60	pvc/pu/rubber	steel	/	800	95	450	50
KJ-301-ESD			rubber/tpu		/				
KJ-401	100mm	90*100	pvc/pu/rubber		/	1200	132	550	40
KJ-401-ESD			rubber/tpu		/				
KJ-501	125mm	120*110	pvc/pu/rubber		/	1600	190	750	30
KJ-501-ESD			rubber/tpu		/				

02 平板脚轮系列 Attaching Caster Series

Without Brake 不带刹	Brake 带刹	轮径D (mm)	底板尺寸 A*B	Material 轮子材质	Frame Material 支架材质	Offset Distance 偏心距R(mm)	Loading 承重 (N)	High/高度 H(mm)	Weight 单重 (g)	Package 每箱 (pcs)
KJ-302A	KJ-302B	75mm	70*60	pvc/pu/rubber	steel	35	800	95	630/730	50
KJ-302A-ESD	KJ-302B-ESD			rubber/tpu		35				
KJ-402A	KJ-402B	100mm	90*100	pvc/pu/rubber		32	1200	132	740/910	40
KJ-402A-ESD	KJ-402B-ESD			rubber/tpu		32				
KJ-502A	KJ-502B	125mm	120*110	pvc/pu/rubber		32	1600	190	900/1050	30
KJ-502A-ESD	KJ-502B-ESD			rubber/tpu		32				

03 插杆脚轮系列 Insertion Caster Series

Without Brake 不带刹	Brake 带刹	轮径D (mm)	丝杆外径 T	Material 轮子材质	Frame Material 支架材质	Offset Distance 偏心距R(mm)	Loading 承重 (N)	长度 L(mm)	High/高度 H(mm)	Weight 单重 (g)	Package 每箱 (pcs)
KJ-303A	KJ-303B	75mm	M12*60	pvc/pu/rubber	steel	35	500	60	95	480/580	50
KJ-303A-ESD	KJ-303B-ESD			rubber/tpu		35					
KJ-403A	KJ-403B	100mm	M12*60	pvc/pu/rubber		32	600	60	132	630/780	40
KJ-403A-ESD	KJ-403B-ESD			rubber/tpu		32					
KJ-503A	KJ-503B	125mm	M12*60	pvc/pu/rubber		32	1000	60	190	900/1040	30
KJ-503A-ESD	KJ-503B-ESD			rubber/tpu		32					


04 螺杆插入式脚轮系列 Bushing Caster Series

Without Brake 不带刹	Brake 带刹	轮径D (mm)	丝杆外径 T	Material 轮子材质	Frame Material 支架材质	Offset Distance 偏心距R(mm)	Loading 承重 (N)	长度 L(mm)	High/高度 H(mm)	Weight 单重 (g)	Package 每箱 (pcs)
KJ-204A	KJ-204B	50mm	M12*35	pvc/pu/rubber	steel	22	300	35	67	193/240	100
KJ-204A-ESD	KJ-204B-ESD			rubber/tpu		22					
KJ-304A	KJ-304B	75mm	M12*35	pvc/pu/rubber		35	500	35	95	450/550	50
KJ-304A-ESD	KJ-304B-ESD			rubber/tpu		35					
KJ-404A	KJ-404B	100mm	M12*35	pvc/pu/rubber		32	600	35	132	600/750	40
KJ-404A-ESD	KJ-404B-ESD			rubber/tpu		32					


脚杯/脚轮系列

Adjust foot and Caster


K-1209A




K-1209B



K-1209C




K-1200A



Code/型号	Stem Diameter 丝杆外径 (T)	DIA/直径 D(mm)	Length/长度 L(mm)	Weight 单重 (g)	Package 每箱 (pcs)
K-1209A-1038	M10	38	60/80	45/52	100
K-1209A-1238	M12	38	60/80	48/56	100
K-1209A-1043	M10	43	60/80	50/60	100
K-1209A-1243	M12	43	60/80	55/63	100
K-1209A-1050	M10	50	60/80	60/68	100
K-1209A-1250	M12	50	60/80	66/73	100
K-1209A-1072	M10	72	80/100	69/76	100
K-1209A-1272	M12	72	80/100	75/83	100
K-1209B-1038	M10	38	60/80	43/50	100
K-1209B-1238	M12	38	60/80	46/52	100
K-1209B-1043	M10	43	60/80	49/57	100
K-1209B-1243	M12	43	60/80	54/61	100
K-1209B-1050	M10	50	60/80	58/65	100
K-1209B-1250	M12	50	60/80	60/67	100
K-1209B-1072	M10	72	80/100	65/73	100
K-1209B-1272	M12	72	80/100	71/79	100
K-1209C-1050	M10	50	60/80	71/80	100
K-1209C-1250	M12	50	60/80	88/95	100
K-1209C-1072	M10	72	80/100	95/103	100
K-1209C-1272	M12	72	80/100	105/112	100
K-1200A-1032	M10	32	60/80	65/73	100
K-1200A-1232	M12	32	60/80	70/78	100
K-1200A-1037	M10	37	60/80	74/82	100
K-1200A-1237	M12	37	60/80	81/89	100
K-1200A-1050	M10	50	60/80	82/90	100
K-1200A-1250	M12	50	60/80	86/95	100

附件 Tube Accessory

Part Number	Photo	Classification	Application	T1	T2	Weight(kg)	QTY(pcs)	Packaging(cm)
K-1209D1C-T07		Coated pipe	28*0.7	M10	M12	0.11	200	26*21*12
K-1209D1C-T08			28*0.8	M10	M12	0.095	200	26*21*12
K-1209D1C-T10			28*1.0	M10	M12	0.09	200	26*21*12
K-1209D1C-T12			28*1.2	M10	M12	0.08	200	26*21*12
K-1209D1C-T20			28*2.0	M10	M12	0.075	200	26*21*12
K-1209D1S-T07		Stainless pipe	28*0.7	M10	M12	0.11	200	26*21*12
K-1209D1S-T08			28*0.8	M10	M12	0.095	200	26*21*12
K-1209D1S-T10			28*1.0	M10	M12	0.09	200	26*21*12
K-1209D1S-T12			28*1.2	M10	M12	0.08	200	26*21*12
K-1209D2C-T07		Coated pipe	28*0.7	M10	M12	0.11	200	26*21*12
K-1209D2C-T10			28*1.0	M10	M12	0.095	200	26*21*12
K-1209D2S-T07		Stainless pipe	28*0.7	M10	M12	0.11	200	26*21*12
K-1209D2S-T10			28*1.0	M10	M12	0.095	200	26*21*12

Part Number	Photo	Classification	Application	Weight(kg)	QTY(pcs)	Packaging(cm)	Remark
K-110AC-07		Coated pipe	28*0.7	0.002	1000	35*28*15	
K-110AC-08			28*0.8	0.002	1000	35*28*15	
K-110AC-10			28*1.0	0.002	1000	35*28*15	
K-110AC-12			28*1.2	0.002	1000	35*28*15	
K-110BC-07		Coated pipe	28*0.7	0.002	1000	35*28*15	
K-110BC-08			28*0.8	0.002	1000	35*28*15	
K-110BC-10			28*1.0	0.002	1000	35*28*15	
K-110BC-12			28*1.2	0.002	1000	35*28*15	
K-110BC-20			28*2.0	0.002	1000	35*28*15	
K-110CS-07		Stainless pipe	28*0.7	0.002	1000	35*28*15	
K-110CS-08			28*0.8	0.002	1000	35*28*15	
K-110CS-10			28*1.0	0.002	1000	35*28*15	
K-110CS-12			28*1.2	0.002	1000	35*28*15	

M6 NUT



Black (BK)
Zinc (ZN)
Nickel (CN)

M6*25 BOLT



Black (BK)
Zinc (ZN)
Nickel (CN)

M6*12 BOLT



Black (BK)
Zinc (ZN)
Nickel (CN)

M6*28 BOLT



Black (BK)
Zinc (ZN)
Nickel (CN)

M6*30 BOLT




Black (BK)
Zinc (ZN)
Nickel (CN)


M8*40 BOLT NUT




K-1200



K-1200B




K-1209E



附件 Tube Accessory


KJ-1200A(M10 only)




KJ-1200B



KJ-1200C(M10 only)



KJ-1200F(M8 only)



KJ-1200G(M8 only)




KJ-1209E(M10 only)



KJ-1209H(M10 only)




KJ-1209F(M10 only)



K-1209H



K-1209F




K-1209I




K-1209J



K-1209G




K-1000A(ZINC)




K-1000B(ZINC)




K-1000C(ZINC)




K-1000D(ZINC)




K-1002L




K-1002R




K-1003F




K-1003P




K-1003Y



K-1005A




K-1005B




附件 Tube Accessory


K-1006




K-1007




K-1008A




K-1008B




K-1008C




K-1009




K-1011



K-1012A



K-1012C



K-1012E




K-1012F




K-1012G




K-1012H




K-1012I




K-1012J




K-1012K




K-1012L




K-1012M




K-200 L:200/400/600MM




K-2080




K-2081




K-2080A



K-2080B



K-2081A



附件 Tube Accessory

K-2082 	K-2083 	K-2084
K-2088 	K-2089 	K-2090
K-A8 	K-120 	K-130
K-140(BK/WH) 	K-150 	K-160
K-1202A 	K-2087 	K-01
K-02 	K-03 	


Item NO.	Specification (L*W*Hmm)	Item NO.	Specification (L*W*Hmm)
K-2087-BE	2000*25*25	K-01RD	OD:5-32mm , RD
K-2087-BE	2000*35*35	K-01BK	OD:5-32mm , BK
K-2087-BE	2000*35*40	K-02(wrench)	M5
K-2087-BE	2000*30*50	K-03(pipe cutter)	Cutting range 3-32
K-2087-BE	2000*50*60		

附件 Tube Accessory

ESD MAT



ESD PVC FILM



PP Hollow sheet




Item NO.	Specification(Lm*W.m*T.mm)
J-102-Green	10*1*2,green
J-122-Green	10*1.2*2,green
J-103-Green	10*1*3,green
J-123-Green	10*1.2*3,green
J-102-Gray	10*1*2,gray
J-122-Gray	10*1.2*2,gray
J-103-Gray	10*1*3,gray
J-123-Gray	10*1.2*3,gray


Item NO.	Specification(Lm*W.m*T.mm)
J-3A	30*1.37*0.3Black
J-3B	30*1.37*0.3, transparent
J-5A	30*1.37*0.5,Black
J-5B	30*1.37*0.5, transparent

Item NO.	Specification(Lm*W.m*T.mm)
J-2	2.44*1.22*2,Any color/ESD
J-3	2.44*1.22*3,Any color/ESD
J-4	2.44*1.22*4,Any color/ESD
J-5	2.44*1.22*5,Any color/ESD
J-8	2.44*1.22*8,Any color/ESD
J-10	2.44*1.22*10,Any color/ESD


J-A1




J-B1




J-A2-L




J-A2-R




J-A3-5




J-A3-10




J-B3-5




J-B3-10



J-A4



J-B4




J-A5




Material distinction : J-A series is plastic, and J-B series is aluminum alloy
 ※.If have special Material, we can do it according customer sample, The MOQ is 1000PCS
 ※"/" means no this product, "◎" means accept any quantity.

应用案例
Applications

物流推车1



物流推车2



工具推车



钢网推车



分装推车



平板推车




应用案例
Applications

办公桌




工作桌




升降工作桌




储物架1



储物架2



翻转层放推车



应用案例 Applications


玻璃车




精品推车




质量检测桌1




质量检测桌2



产品组装桌



组装线生产桌




应用案例 Applications


卷料推车



零件架可移动型



灯光看板




灯光看板



晾衣架



储衣架





King 9 Technology Company Limited

Add: No. 1 Building, No.90 Guangtian Rd, Luotian, Yanluo, Bao'an, Shenzhen,
Guangdong, China, 518127

Tel:(86)755 29854361 / (86) 755 33942862

Fax : (86) 755 29854361

Mail : cnking9@cnking9.com

Web : www.cnking9.com